

# Strip Mini Poly Series

## Poly 2030.1



31 l/m  
8.2 USGPM



max 20 BAR  
290 P.S.I.

### APPLICAZIONI - APPLICATIONS



AGRICOLTURA  
AGRICULTURE



ORTICOLTURA  
HORTICULTURE



CARRIOLE  
WHEELBARROWS



GIARDINAGGIO  
GARDENING



SERRE  
GREENHOUSES



DISINFESTAZIONE  
DISINFESTATION



### MEMBRANE - MEMBRANES



BUNA

VITON

DESKOPAN



CARATTERISTICHE TECNICHE SPECIFICATIONS	650 g/min. 650 R.P.M.	
<b>Potenza - Power</b>	<b>1,2 KW</b>	1.6 HP
<b>Peso - Weight</b>	<b>5,6 Kg</b>	12.3 lb
<b>IN</b>	<b>Ø 25 mm</b>	Ø 1" in
<b>Pressione Min - Min Pressure</b>	<b>-0,1 BAR</b>	-1.45 P.S.I.
<b>Pressione Max - Max Pressure</b>	<b>1 BAR</b>	14.5 P.S.I.
<b>OUT</b>	<b>Ø 8 mm</b>	Ø 5/16" in
<b>Max. Temperatura - Max. Temperature</b>	<b>60 °C</b>	140 °F
<b>Tipo olio - Oil type</b>	<b>SAE 30</b>	
<b>Capacità olio - Oil capacity</b>	<b>0,7 lt</b>	0.18 U.S.G.

TABELLA RENDIMENTI PERFORMANCE CHART								
g/min R,P,M,	500		550		600		650	
BAR P,S,I,	L/min USGPM	KW HP	L/min USGPM	KW HP	L/min USGPM	KW HP	L/min USGPM	KW HP
2 29	23,8 6,3	0,11 0,1	26,2 6,9	0,12 0,2	28,6 7,6	0,13 0,2	31,0 8,2	0,14 0,2
10 145	22,3 5,9	0,5 0,7	24,5 6,5	0,5 0,7	26,8 7,1	0,6 0,8	29,0 7,7	0,6 0,9
15 217,5	21,5 5,7	0,7 1,0	23,7 6,3	0,8 1,1	25,8 6,8	0,9 1,2	28,0 7,4	0,9 1,2
20 290	20,8 5,5	0,9 1,2	22,8 6,0	1,0 1,4	24,9 6,6	1,1 1,5	27,0 7,1	1,2 1,6

### Versioni Versions

94.7411.97.A-VF

94.7401.97.A-VA

94.7421.97.A-RT4.1


94.7431.97.A-RT4.1

94.7441.97.A-RT4.1




# Strip Mini Poly Series

## Poly 2030.1





Versioni Versions		Predisposta per valvola For regulator mod.	2030.1
VF		KARIN	94.7411.97.A

Albero standard 3 fori.  
*3 holes standard shaft.*



Versioni Versions		Predisposta per valvola For regulator mod.	2030.1
VA		KARIN	94.7401.97.A

Albero cilindrico 3/4". (Ø19.05 mm)  
 3/4 " solid shaft. (Ø19.05 mm)



Strip Mini Poly Series

Poly 2030.1



31 l/m  
8.2 USGPM



max 20 BAR  
290 P.S.I.

Versioni Versions	Predisposta per valvola For regulator mod.	Motore Engine	2030.1
RT4.1	KARIN	SAE 3/4"	94.7421.97.A
		Honda G100 "Q"	94.7431.97.A
		Honda G100 "S"	94.7441.97.A

Predisposta per motori termici a 4 tempi.  
For 4 stroke petrol engine.

